


S261

Complex Structure Metal Series

INFORMATION ABOUT PRODUCT

| | |
|-------------------------------|---------------------|
| Minimum Space | 990x990x335 cm |
| Impact Protection net | 63,5 m ² |
| Dimensions | 690x640 cm |
| Overall Height | 275 cm |
| Free falling height | 155 cm |
| Foundations | 27 pcs |
| Availability of spare parts | YES |
| Product complies with EN 1176 | YES |
| Age range | 3-14 |
| Amount of users | 12 |



MATERIALS

- Posts (colored): Hot Dip Galvanized and powder coated Steel
- Posts (non - colored): Hot Dip Galvanized (plain) or Stainless Steel (304 / 316L)
- Floors: HPL Antiskid 12mm (EXT)
- Panels: HPL 12mm (EXT)
- Slide Side Panels / Panels that experience forces: HPL 18mm (EXT)
- Sliding Surface: GFRP (Glass Fiber Reinforced Polyester) t=4.5mm
- Metal Parts (colored): Hot Dip Galvanized and powder coated Steel
- Metal Parts (non - colored): Hot Dip Galvanized (plain) or Stainless Steel (304 / 316L)
- Steel Ropes apparatus: Steel core ropes braided with polypropylene (Ø16mm). Solid and aesthetic connectors made of injection molded durable plastic / end-connectors and sleeves made of durable aluminum alloy
- All other plastic elements: Fiber reinforced plastic
- Transparent Parts: Clear Polycarbonate material (t=5mm)
- Fasteners: Electroplated coated or Stainless Steel (304 / 316L)
- Chains: Hot Dip Galvanized (plain) or Stainless Steel (304 / 316L) / Ø6mm / According to DIN 766
- Step Modules: Manufactured of rotomoulded polyethylene develop process.



Please note that the above list of materials concerns the articles of the whole series. Therefore, some of them are not used in the described article.